

PR POLYMERS

Founded in 1992, PR Polymers
Pty Ltd (PRP) is a privately owned
Australian company that specialises
in the manufacture and supply of
mineral processing products, drilling
consumables and air decking / stemming
products for the mining and drilling
industries.

The manufacturing, packaging and marketing of our products within our range are carried out in Australia. Our products are made with Australian harsh weather conditions in mind which make our products suitable for use all over the world.

We understand the needs and standards required to ensure our products are reliable, economical and provide solutions for our customers. In little over two decades, PRP have grown to become an industry leader and in that time has gained an enviable reputation for the quality and performance of its innovative product range.

KoolKap Down-Under Bags

KoolKap Classic Down-Under Bags



600 per pallet, 25 bags per box	
165mm (6 ½")	KK165
200mm (7 7/8")	KK200
230mm (9")	KK230
250mm (9 7/8")	KK250
270mm (10 5/8")	KK270
311mm (12 ¼")	KK311

Customised sizes available

Part Number

KoolKap Down-Under DUO's



165mm	(6 ½")	KK165DUC
200mm	(7 7/8")	KK200DUC
230mm	(9")	KK230DUC
250mm	(9 7/8")	KK250DUC
270mm	(10 5/8")	KK270DUC
311mm	(12 ¼")	KK311DUC

Customised sizes available

KoolKap Down-Under LQ



165mm	(6 ½")	KK165L0
200mm	(7 7/8")	KK200LC
230mm	(9")	KK230LC
250mm	(9 7/8")	KK250LC
270mm	(10 5/8")	KK270LC
311mm	(12 ¼")	KK311LC

Customised sizes available





CHARGE BAGS

Part Number

High Temperature Bag: Type 1 from 80°C - 100°C

165mm	(6 ½")	KK165HT
200mm	(7 7/8")	KK200HT
230mm	(9")	KK230HT
250mm	(9 7/8")	KK250HT
270mm	(10 5/8")	KK270HT
311mm	(12 ¼")	KK311HT

Very High Temperature Bag: Type 2 from 100°C - 120°C

165mm	(6 ½")	KK165VHT
200mm	(7 7/8")	KK200VHT
230mm	(9")	KK230VHT
250mm	(9 7/8")	KK250VHT
270mm	(10 5/8")	KK270VHT
311mm	(12 ¼")	KK311VHT

DUO LINERS

Available in a range of diametres and lengths to suit your needs

Available in 50lt/100lt

Part Number

KCB230

270mm (10 5/8") **KCB270**

Other sizes available by request

230mm (9")





(59 ft) 18m (20 ft) 6.1m

Available on Foam or Bamboo












KoolKap® Duo Liners

- Robust laminated polypropylene cloth
- Factory sealed for sure water resistance
- Made to length with overhang for filling
- Protects charge from wet walls
- Ballast pocket in nose cone
- No cutting or tying
- Suitable for dry and de-watered holes with voids





KoolKap® Charge Bags

A recurring problem on site is blasting in wet areas of the mine. Whether static or dynamic, it is always a challenge to deal with water.

KoolKap® Charge Bags are a self-contained decoupled charge for use in the larger diameter blast holes of open cut mining, especially coal and iron ore mines.

They can hold up to 100kg of product and the booster/primer can be placed directly in the product or in the external pouch.

The bag can be tied closed to prevent contamination during its lowering down the hole, allowing you to use dry product in wet holes and it won't be washed out by dynamic water.

The KoolKap® Charge Bag prevents dead pressing in blast columns over 70 metres and can be placed precisely adjacent to hard bands in wet holes.

You can also suspend the charge at whatever depth you need to reduce powder factors in blown out holes or in pre-splits.





Loading and Use

There are a couple of methods to load the bags. One is with a spitz lift. The bag can be hung on the frame while you pump/auger product into the bag then simply lower the bag down the hole to your desired depth with the winch. There is also a trapeze system that can be suspended from LV cranes.

In conjunction with one of our customers, we have also developed the KCB lowering device which can be used from a forklift.







KINGLON POLY CHAIN

SURVEYOR ROPE

0	100

TAJIMA FIBERGLASS TAPES



30 Metre	(98.4 feet)	TFT30
50 Metre	(164 feet)	TFT50
100 Metre	(328 feet)	TFT100

20 Metre (65 feet)

30 Metre (98.4 feet)

50 Metre (164 feet)

100 Metre (328 feet)

30 Metre (98.4 feet)

50 Metre (164 feet)

100 Metre (328 feet)

DIPPING WEIGHTS THIN/WIDE BASE



		• • • • •	iii basc	
Black	240g	(0.53 II	bs)	DW240-B
Red	420g	(0.93 l	bs)	DW420-R
Yellow	460g	(1.01 l	bs)	DW460-Y
Blue	620g	(1.37 l	bs)	DW620-B
Green	720g	(1.59 l	bs)	DW720-G

Thin Base



	Wide Base	
Black	200g (0.44lbs)	DWWB200-B
Red	450g (1 lbs)	DWWB450-R
Yellow	500g (1.1 lbs)	DWWB500-Y
Blue	635g (1.39 lbs)	DWWB635-B
Green	750g (1.65 lbs)	DWWB750-G

Part Number

KPC20

KPC30

KPC50

SR30

SR50

SR100

KPC100

DET CORD CUTTERS



DRILL HOLE SAVERS



DRILL HOLE SAVER TRAILER



Det Cord Cutters DCC190

100mm-150mm Red (4" – 7") **DHS150-R** 230mm Red (9") **DHS230-R** 270mm Red (10 5/8") **DHS270-R** 381mm (15") DHS381-R/G

Other Colours may be available on demand

Holds approximately 350+ Drill Hole Savers **DHSTrailer-230 DHSTrailer-270**

Part Number












ELSP900-B

ELSP900-G

ELSP900-R ELSP900-Y

Available in Various Colours



Sold Per Box (500/1000)

Pin Marker Blue	PM500-B
Pin Marker Green	PM500-G
Pin Marker Orange	PM500-O
Pin Marker Pink	PM500-P
Pin Marker Red	PM500-R
Pin Marker White	PM500-W
Pin Marker Yellow	PM500-Y



700mm (2.4 feet)

900mm (2.9 feet)

Blue

Red

Green

Yellow

Blue	LSP700-B
Green	LSP700-0
Red	LSP700-R
Yellow	LSP700-Y



500mm (1.64 feet)

Blue	SSP500-B
Green	SSP500-G
Red	SSP500-R
Yellow	SSP500-Y

Labelling POA

PRP FLAGGING TAPE



Blue FT25-75-B FT25-75-G Green Pink FT25-75-P Red FT25-75-R White FT25-75-W Yellow FT25-75-Y





DANGER NO ENTRY Red EXPLOSIVE LOADING AREA

750mm (29.5") High SC750-R **SC750-Y** Available in Yellow &

1300mm (51") High SC1300-G SC1300-R

Labelling POA

PRP REFLECTALINE



Reflectaline 500 Metre **RL500** Roll (546.8 Yards)













SOLAR SAFETY LIGHTS/CASE/HOLDER

Part Number



Solar Safety lights minimum order 10 **SSL160-B** Blue Green **SSL160-G SSL160-R** Red Yellow (Amber) **SSL160-Y**

Safety Solar Light Case **SSLC-12** Shock Proof, Water Resistant, Dust Proof, holds 12 Safety Solar Lights Yellow Safety Solar Light SSLH-165 Holder (Minimum Order 10)

700mm (2.3 feet) Traffic Cones

Blue 700mm (2.3 feet)

Green 700mm (2.3 feet)

Orange 700mm (2.3 feet)

With Heavy Base & Reflective Collars


TRAFFIC CONES



Yellow 700mm (2.3 feet) 450mm Traffic Cones with **Reflective Collars**

Blue 450mm (1.4 feet) TC450-B Green 450mm (1.4 feet) TC450-G TC450-O Orange 450mm (1.4 feet) Yellow 450mm (1.4 feet) TC450-Y **SPARE REFLECTIVE SLEEVES AVAILABLE TO SUIT BOTH SIZES** Blue Red White

DEFLECTOR SHEETS



Custom made to suit all types of drills

Sheets & Kits

DECK SEALS (ROD WIPERS) DEFLECTOR CONES (SMALL & LARGE)



Made to suit all types of drills With different size Drill Rods

PLENUM SEALS



Made to suit all types of drills and Made to measure







TC700-B

TC700-G

TC700-O

TC700-Y





DEFLECTOR SHEETS

PR Polymers Deflector Sheets are specifically designed to ensure your cuttings are deflected well away from the hole, reducing wasteful and costly redrilling from fallback.

Your priority is bailing cuttings out of the hole as efficiently as possible. Our experience ensures that this happens. Our Deflector Sheets have been engineered with high rebound qualities. This means cuttings are distributed away from the hole, leaving you with larger chips in your pile, not a mound of dust that keeps refilling your hole.

As a result:

- Your cuttings pile can be used as stemming
- Better particle size distribution will reduce the height of your cuttings pile
- Larger particle size and less regrind will cut down airborne respirable dust
- Reduce drill maintenance costs by up to 50%









DUST CONTAINMENT CURTAIN



10 Metre Roll X 1200mm 3 Ply Tan Colour

DCC-3PT

Part Number

DUST SUPPRESSION SYSTEMS







Dust suppression systems designed to suit the deck layout and the air/water units on your drills.











LABELLING SAFETY PYRAMIDS/CONES/EXAMPLES

EXPLOSIVES NO UNAUTHORISED ENTRY **CONTACT SHOTFIRER**



















BOTTLE BRUSHES

PART NUMBER

Bottle brush 102mm BB-102





Bottom Booster Centraliser to suit 76mm - 102mm

BBC-89

CORE CUTTER TRAYS





KOOLKAP KOOLER TANK



Various models available

BQ Core Cutter Tray Blue CT460-EBQ

Enclosed HQ Core

Cutter Tray Yellow CT460-EHQ

Open Solid V Core

Cutter Tray Blue CT460-OV

Holds up to 45 Litres

2 Cartons of Ales & Ice KKT-001







SIZES FOR SAFETY PYRAMIDS / SAFETY CONES

300mm (12")



889mm (35") 14kg (31lbs)

335mm (13 7/8")



1119mm (3.67 ft) 5kg (11lbs)

200mm (7 7/8") NO ENTRY

> EXPLOSIVE LOADING AREA

750mm (2.5ft)

495mm (19 ½") 3kg (6 1/2lbs)

220mm (8 5/8")



790mm (2.59 ft) 3kg (6 1/2lbs)

Size of Letters will vary depending on Amount of Words used and size of Safety Pyramid/Cone ordered. Prices on Asking (POA)

MISCELLANEOUS ITEMS AVAILABLE BY REQUEST















Dy-Mark Spray Paint Mine Marking Paint, Various Colours Available, Flammable & Non-Flammable

Head Sox, various colours available



Various Colours available.












WEAR COMPONENTS

Belt & Wheel Scrapers





Hydrocyclones



Continuous Conveyor pulleys



Mast/Wear Slides



Poly Sheaves













CUSTOM REFURBISH PARTS IN VARIOUS POLYMERS SPECIFIC TO YOUR

APPLICATION





INDEX

	NAME	PAGE #	
	Belt & Wheel Scrapers	19	
	Bottle Brushes	15	
	Bottom Booster Centralisers	15	
	Duo Liners	3	
	Dust Suppression Sytems	13	
	Ceramic Tile Lagging	18	
	Charge Bags	3	
	Clay Targets	17	
	Cord for Bags	2	
	Core Cutter Trays	15	
	Custom Refurbish / Made Polymer lagged	20	
	Products		
	Deck Seals (Rod Wipers)	11	
	Deflector Cones Large/ Small	11	
	Deflector Sheets	11	
	Det Cord Cutters	7	
	Dipping Weights Thin & Wide Base	6	
	Drill Hole Saver Trailer	7	
	Drill Hole Savers	7	
	Dust Containment Curtain	13	
	Dy-Mark Spray Paints	17	
	Head Sox	17	
	Hight Temperature Bags	2	
	Hydrocyclones	19	
	Kinglon Poly Chain	6	
	KoolKap Classic Down-Under Bags	1	
	KoolKap Down-Under LQ's	1	
1			

NAME	PAGE#
KoolKap DUO Bags	2
KoolKap Kooler Tank	15
Labelling Examples for Pyramids/ Safety Cones	14
Large / Small Safety Pyramids	9
Miscellaneous Items	17
Misfire Pocket Socks	17
Pin Markers	8
Plenum Seals	11
Poly Sheaves	19
PRP Flagging Tape	8
PRP Reflectaline	8
Rod Wipers	11
Rubber lagging	18
Safety Cones	9
Sizes for Safety Pyramids / Cones	16
Solar Light Case	10
Solar Light Holder	10
Solar Safety Lights	10
Surveyor Rope	6
Tajima (Symron) Fiberglass Tape	6
Traffic Cones	10
Wear Slides	19















POLYURETHANE SPECIALISTS KOCKAP

AUSTRALIA

PR Polymers Pty Ltd

ABN 91 097 405 984 ACN 097 405 984

142 Mica St, Carole Park
PO Box 300, Carole Park
Brisbane QLD 4300, Australia

P: +61 7 3376 5999 F: +61 7 3376 5944 E: sales@prpolymers.com

PERTH

PR Polymers Pty Ltd PO Box 981 West Perth 6872

P: +61 427 779 500 E: sales@prpolymers.com

SOUTH AMERICA

PR Polymers S.A RUT 76369880-7

Hernando de Aguirre 128 Of 805 y 1002 Providencia Santiago Chile

P: +5622 233 6823

E: sales@prpolymers.com

UNITED STATES OF AMERICA

Woodland WA 98674 United States of America

E: sales@prpolymers.com

www.prpolymers.com